



U.S. Department of Transportation

National Highway Traffic Safety Administration

Dear Crash Data Researchers/Users:


Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

*** *** ***





PEDESTRIAN CASE SUMMARY NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

 $_{\text{PSU}}_~72$

CASE NO. 615P

TYPE OF ACCIDENT Car/Pedestrian straight path

A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES


(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Pedestrian injury mechanism and vehicle interaction is the focus, not pedestrian or driver culpability. <u>Do not include any personal identifiers.</u>)


Vehicle 1 was westbound in lane 1 of a 2-lane undivided roadway. The pedestrian was running southbound with a straight path of travel. Vehicle 1 applied brakes. The pedestrian ran into the front right wheel well of vehicle 1 and contacted the antenna and fell to ground at vehicle 1's right side.

			B. PEC	ESTRIAN PRO	OFILE				
Pedestrian			Treatment/		Most Severe Injury (TO BE COMPLETED BY ZONE CENTER)				
No.	Age	Sex	Mortality	Body Region	Ana. Struc.	AIS	Injury Source		
01	9	Female	Treated & Released	Back/Lumbar	Strain	1	Right Fender		

Body Region	Type of Anatomic Structure	Abbreviated Injury Scale
Head Face Throat Chest Abdomen/Pelvis Spine Upper Extremity Lower Extremity	Whole Area Vessels Nerves Organs Skeletal Head-LOC Skin-Burn Skin-Other	 (1) Minor injury (2) Moderate injury (3) Serious injury (4) Severe injury (5) Critical injury (6) Maximum (untreatable) (7) Injured, unknown severity

	Class	C. VEH	ICLE PROFIL		
Vehicle No.	of Vehicle	Year/Make/Model	Damage Plane	Damage Description	
01	Largest	93 Chevrolet Caprice	Right	Minor	







Administration

U.S. Department of Transportation National Highway Traffic Safety

PEDESTRIAN ACCIDENT COLLISION MEASUREMENT TABLE

MEASUREMENT TABLE

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

Primary Sampling Unit Number	2		Case Numi	per-Stratum 6 1 5 P
PEDESTRIAN ACCIDENT CO	LLISION DATA CO	LLECTION		SCALED DIAGRAM
document reference point and reference line relative to physical features	Surface Type	b1+	* north	arrow placed on diagram
 documentation of all accident induced physical evidence including (if applicable): 	Surface Condition	dry	1 -	measurements for all applicable
a) vehicle skid marks b) pedestrian contacts with ground or	Coefficient of Fric	tion 165	roadw	
object c) vehicle/pedestrian point of impact (POI)	Grade:(v/h): Meası		includ	
d) location of pedestrian separation point from vehicle	a) at impact b) between im and final res		cre	road/roadway delineation (e.g., osswalks, curbs/edge lines, lane arkings, medians, pavement markings,
f) final resting points (FRP) for pedestrian and vehicle	Pedestrian Travel	N		rked vehicles, poles, signs, etc.) traffic controls (e.g., lights, signs)
 documentation of the physical plant including: 	Vehicle Travel Dire	ection 5	pedes	f representations of the vehicle and trian at pre-impact, impact, and final ased upon either:
 a) all road/roadway delineation (e.g., crosswalks, curbs/edge-lines, lane markings, medians, pavement markings, parked vehicles, poles; signs, etc.) 	Number of Travel	Lanes	_	physical evidence, or
b) all traffic controls (e.g., lights; signs)			b)	reconstructed accident dynamics
Reference Point: Sigh (a)	N curb	Reference line:	N	curb edge
Item		Distance and D from Referenc		Distance and Direction from Reference Line
2.0.				.6 m N
Pot		I. On E		318 m 5
DED FRP	· · · · · · · · · · · · · · · · · · ·	. 6 m v	~	2.5 m S
V, FRP		.5 m v	N	3. B & S
			F5/mm	
1				

ltem	Distance and Direction from Reference Point	Distance and Direction from Reference Line
		·
		-
·		
		·

PEDESTRIAN ACCIDENT FORM NATIONAL ACCIDENT SAMPLING SYSTEM

PEDESTRIAN CRASH DATA STUDY

Administration			
	- 1	SPECIAL STUDIES - INDICATORS	
 Primary Sampling Unit Number 	72	01 1 (4) 1 1 1 1 1 (0045 0040 halan)	\
2. Case Number - Stratum	<u>615 P</u>	Check () each special study (SS15-SS19 below) has been completed; code 1 for the checked studies and 0 for the special studies not checked.	
IDENTIFICATION			
Number of General Vehicle		6SS15 Administrative Use	_0_
Forms Submitted	0 1	7. <u>✓</u> SS16 Pedestrian Crash Data Study	_1
4. Date of Accident (Month,Day,Year)	/ 9 4	8SS17 Impact Fires	_0_
5. Time of Accident	720	9SS18	_0_
Code reported military time of accident NOTE: Midnight = 2400	ent.	10SS19	_0
Unknown = 9999		NUMBER OF EVENTS	
		Number of Recorded Events in This Accident	0 1

PEDESTRIAN STUDY CRITERIA

Pedestrian Definition:

Any person who is on a trafficway or on a sidewalk or path contiguous with a trafficway, or on private property (e.g., parking lot). Note: Pedestrians include persons who are in contact with the ground, roadway, etc. and are pushing carts, wagons, etc. or holding on to a vehicle.

Persons in or on a nonmotorist conveyance are not pedestrians and are excluded from this study. A nonmotorist conveyance is defined as any human powered device by which a nonmotorist may move, or by which a pedestrian or nonmotorist may move another nonmotorist. A nonmotorist conveyance for purposes of this study includes the following: bicycles, baby carriages, roller skates/blades, push carts, scooters, wheelchairs, animals, etc. For example, persons on a bicycle/scooter, roller skating/blading, in a baby carriage/push cart/wheelchair or on a horse are excluded.

Case Selection Criteria:

A forward moving, late model year (VEH04 equals 90 to 95) CDS applicable vehicle (VEH07 equals 01 to 49) must strike a

The striking portion of the vehicle structure must be original equipment manufacturer (OEM) without previous damage and or parts removed in the impact area. For example, vehicles equipped with deer guards, winches, snow plows, etc. or previously damaged in the impact area are excluded.

The pedestrian may not be lying or sitting.

The pedestrian impact(s) are the vehicle's only impact(s). If multiple pedestrians are impacted, each pedestrian shall be a separate

The first point of contact between the late model year, CDS applicable vehicle and the pedestrian must be forward of the top of the A pillar.

Ì	PÉDESTRIAN ACCIDENT EVENTS										
	Accident Event Sequence Number	Vehicle Number	Class Of Vehicle	General Area of Damage	Vehicle Number or Object Contacted	Class Of Vehicle	General Area of Damage				
	12. <u>0</u> <u>1</u>	13. <u>0</u> <u>1</u>	14. <u>\$ 5</u>	15. <u>R</u>	16. <u>7</u> 2	17. <u>0</u> <u>0</u>	18. <u>0</u>				

CODES FOR CLASS OF VEHICLE

- (00) Not a motor vehicle
- (01) Subcompact/mini (wheelbase < 254 cm)
- (02) Compact (wheelbase ≥ 254 but < 265 cm)
- (03) Intermediate (wheelbase ≥ 265 but < 278 cm)
- (04) Full size (wheelbase ≥ 278 but < 291 cm)
- (05) Largest (wheelbase ≥ 291 cm)
- (09) Unknown passenger car size
- (11) Compact utility vehicle
- (12) Large utility vehicle (≤ 4,500 kgs GVWR)
- (13) Passenger van (≤ 4,500 kgs GVWR)
- (14) Other van (≤ 4,500 kgs GVWR)
- (15) Pickup truck (≤ 4,500 kgs GVWR)
- (18) Other truck (≤ 4,500 kgs GVWR)
- (19) Unknown light truck type

CODES FOR GENERAL AREA OF DAMAGE (GAD)

CDS APPLICABLE VEHICLES

- (F) Front
- (R) Right side
- (L) Left side
- (U) Undercarriage
- (9) Unknown

CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED

Collision with Nonfixed Object

(72) Pedestrian

U.S. Department of Transportation

Administration

National Highway Traffic Safety

PEDESTRIAN ASSESSMENT FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

12 1. Primary Sampling Unit Number 10. Pedestrian's Weight 025 Code actual weight to the nearest 615 P kilogram. 2. Case Number - Stratum (999) Unknown 5 5 pounds X .4536 = 24 · 9 kilograms 3. Pedestrian Number PEDESTRIAN'S CHARACTERISTICS PEDESTRIAN'S PRE-AVOIDANCE ACTIONS 4. Pedestrian's Age 11. Pedestrian Attitude Code actual age at time of accident. (1) Standing (00) Less than one year old (specify by month): (2) Crouching (3) Kneeling (97) 97 years and older (4) Bending at waist (99) Unknown (8) Other (specify): (9) Unknown 2 5. Pedestrian's Sex (1) Male 12. Pedestrian Motion (2) Female - not reported pregnant (0) Not moving (3) Female - pregnant-1st trimester (1st-3rd month) (1) Walking slowly (4) Female - pregnant-2nd trimester (4th-6th month) (2) Walking rapidly (5) Female - pregnant-3rd trimester (7th-9th month) (3) Running or jogging (6) Female - pregnant-term unknown (4) Hopping (9) Unknown (5) Skipping (6) Jumping 6. Pedestrian's Overall Height 1 12 (7) Falling/stumbling or rising Code actual height to the nearest (8) Other (specify): centimeter. (9) Unknown (999) Unknown +8 inches X 2.54 = +2 centimeters 13. Pedestrian's Action Relative to Vehicle (00) Stopped (01) Crossing road, straight 7. Pedestrian's Height - Ground to Knee (02) Crossing road, diagonally Code to the nearest (03) Moving in road, with traffic centimeter. (999) Unknown (04) Moving in road, against traffic (05) Off road, approaching road _ inches X 2.54 = ____ centimeters (06) Off road, going away from road (07) Off road, moving parallel (08) Off road, crossing driveway 8. Pedestrian's Height - Ground to Hip (09) Code to the nearest Off road, moving along driveway Other (specify): centimeter. (98)(999) Unknown (99) Unknown __ inches X 2.54 = ___ __ centimeters 14. Pedestrian's Body (Chest) Orientation Relative to Striking Vehicle Prior to **Avoidance Actions** 9. Pedestrian's Height - Ground to Shoulder _ (1) Facing vehicle Code to the nearest centimeter. (2) Facing away (999) Unknown Left side to vehicle (3) Right side to vehicle (4) inches X 2.54 = ___ _ centimeters (8) Other (specify): Unknown

PEDESTRIAN'S AVOIDANCE ACTIONS	
TESESTRIANT STATEMENT	18. Pedestrian's Arm Orientation
	at Initial Impact
	(01) At sides
15. Pedestrian's First Avoidance Actions $\phi \Phi$	1
	(02) Folded across chest
(00) No avoidance actions	(03) Hands clasped behind back
(01) Stopped	(04) Hands on hips
(02) Accelerated pace	(05) Hands in pockets
(03) Ran away (along vehicle path)	(***, *********************************
(04) Jumped	One or both arms:
(05) Turned toward vehicle	(06) Extended upward
(06) Turned away from vehicle	(07) Extended to side
(07) Dove or fell away	(08) Extended forward bracing
	(09) Extended, holding object
Used hand(s) to :	(briefcase, suitcase, etc.)
(11) Vault corner of vehicle	(10) Holding object (young child,
(12) Vault onto vehicle	
, ,	grocery bag, etc.) in arm(s)
(13) Brace against vehicle	(11) Holding object (young child, grocery
(14) Crouched and braced hands against vehicle	bag, etc.) on shoulder(s) or head
(98) Other (specify):	(98) Other (specify):
(99) Unknown	(99) Unknown
` ,	
	19. Pedestrian's Leg Orientation
	at Initial Impact ## 5
PEDESTRIAN'S ORIENTATION AT IMPACT	(01) Together
	(02) Apart-laterally
	(03) Apart-right leg forward
	(04) Apart-left leg forward
40. Dadaskiania II.a.d Oriantatian	(05) Apart- forward leg unknown
16. Pedestrian's Head Orientation	(06) Left foot off the ground
at Initial Impact	(07) Right foot off the ground
(1) To front	
(2) To left	(08) Both feet off the ground
(3) To right	(98) Other (specify):
(4) Up	(99) Unknown
(5) Down	·
· ·	20. Vehicle/Pedestrian's Interaction 기다
(8) Other (specify):	(01) Carried by vehicle, wrapped position
(9) Unknown	(02) Carried by vehicle, slid to windshield
	(03) Carried by vehicle, position unknown
17. Pedestrian's Body (Chest) Orientation	(04) Passed over vehicle top
at Initial Impact	(05) Thrown straight forward
(1) Facing vehicle	(06) Thrown forward and left of vehicle
· · · · · · · · · · · · · · · · · · ·	(07) Thrown forward and right of vehicle
(2) Facing away	(08) Knocked to pavement, forward
(3) Left side to vehicle	(09) Knocked to pavement, left of vehicle
(4) Right side to vehicle	(10) Knocked to pavement, right of vehicle
(8) Other (specify):	
(9) Unknown	(11) Knocked to pavement, run over or
(-)	dragged by vehicle
	(12) Shunted to left (corner impacts only)
	(13) Shunted to right (corner impacts only)
	(14) Bumped or pushed aside
	(15) Snagged, rotated
	(16) Snagged, dragged by vehicle
	(17) Foot or legs run over
	(98) Other (specify):
	(99) Unknown

OFFICIAL RECORDS		INJURY CONSEQUENCES
 21. Police Reported Alcohol Presence For Pedestrian (0) No alcohol present (1) Yes alcohol present (7) Not reported (9) Unknown 	<u>\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ </u>	25. Injury Severity (Police Rating) (0) O - No injury (1) C - Possible injury (2) B - Nonincapacitating injury (3) A - Incapacitating injury (4) K - Killed (5) U - Injury, severity unknown (6) Died prior to accident
22. Alcohol Test Result For Pedestrian Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (99) Unknown if test given	9 6	26. Treatment - Mortality (0) No treatment (1) Fatal (2) Fatal - ruled disease (specify):
Source: PAR 23. Police Reported Other Drug Presence For Pedestrian (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported	1	Nonfatal (3) Hospitalization (4) Transported and released (5) Treatment at scene - non-transported (6) Treatment later (8) Treatment - other (specify): (9) Unknown
 (9) Unknown 24. Other Drug Specimen Test Result For Pedestrian (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen, (specify): (3) Specimen test given, results unknown or not obtained (9) Unknown 	•	27. Type Of Medical Facility (for Initial Treatment) (0) Not treated at a medical facility (1) Trauma center (2) Hospital (3) Medical clinic (4) Physician's office (5) Treatment later at medical facility (8) Other (specify):
		28. Hospital Stay (00) Not Hospitalized Code the number of days (up through 60) that the pedestrian stayed in a hospital. (61) 61 days or more (99) Unknown
		29. Working Days Lost Code the number of days (up through 60) that the pedestrian lost from work due to the accident (00) No working days lost (61) 61 days or more (62) Fatally injured (97) Not working prior to accident (99) Unknown

STOP - VARIABLES 30 THROUGH 37 AR	RE COMPLETED BY THE ZONE CENTER
30. Glasgow Coma Scale (GCS) Score (at Medical Facility) (00) Not injured (01) Injured - not treated at medical facility (02) No GCS Score at medical facility (03-15) Code the actual value of the initial GCS Score recorded at medical facility. (97) Injured, details unknown (99) Unknown if injured 31. Was the Pedestrian Given Blood? (1) No - blood not given (2) Yes - blood given (32) Yes - blood given (34) (35) (36) (36) (36) (36) (36) (36) (36) (36	34. 1st Medically Reported Cause of Death 35. 2nd Medically Reported Cause of Death Code the Pedestrian Injury from line number(s) for the medically reported injury(s) which reportedly contributed to this pedestrian's death (00) Not fatal or no additional causes (96) Mode of death given but specific injuries are not linked to cause of death. (specify): (97) Other result (includes fatal ruled disease) (specify): (99) Unknown 37. Number of Recorded Injuries for This Pedestrian Code the actual number of injuries recorded for this pedestrian. (00) No recorded injuries (97) Injured, details unknown (99) Unknown if injured
ARE ALL APPLICABLE MEDICAL RECORDS NO [4] UPDATE CANDIDATE?	YES[]

Administration

U.S. Department of Transportation National Highway Traffic Safety

PEDESTRIAN INJURY FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

3. Pedestrian Number

2. Case Number - Stratum

4. Blank

<u>X X</u>

INJURY DATA


Record below the actual injuries sustained by this pedestrian in CHRONOLOGICAL order that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than twenty-five injuries have been documented, encode the balance on the Pedestrian Injury Supplement.

				AIS-90					Injury				
	Source of Injury Data	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
1st	<u>5. 3</u>	6. <u>6</u>	7. <u>4</u>	206	9. <u>78</u>	10.	11.8	12. 74	0 13.	14. /	15. 3	16. 2	- 17. <u> </u>
2nd	18	19	20	21	22	23	24	25	_ 26	27	28	29	30
3rd	31	32	33	34	35	36	37	38	39	40	-41	42	43
4th	44	45	46	47	48	49	50	51	52	53	54	55	56
-5th	57	58	59	60	61	62	63	64	65	66	67	68	69
6th	70	71	72	73	74	75	76	77	78	79	80	81	82
7th	83	84	85	86	87	88	89	90	91	92	93	94	95
8th	96	97	98	99	100	101	102	103	104	105	106	107	108
9th	109	110	111	112	113	114	115	116	117	118	119	120	121
10th	122	123	124	125	126	127	128	129	130	131	132	133	134

				PEDES	TRIA	חרמו מ	RY DAT	A				
Source of Injury Data	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Injury Source Confidence Level	Direct/ ' Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
11th	_	_				_				_		
12th	_				· · · · · · · · · · · · · · · · · · ·						· .	
13th						_		_				
14th										- 		
15th	· 				——————————————————————————————————————					_		
16th								_				
17th		_										
19th												_
20th	_					_		. -				
21st								_				
22nd		_				_		_				
23rd									_			_
24th								_				
25th												

.

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



rage

INJURY SOURCE CONFIDENCE LEVEL TYPE OF DAMAGE SOURCE OF INJURY DATA (0) Injury not from vehicle contact (1) Certain (2) Probable No damage/contact (1) Europsy records with or without hospital/ Scratch (Scuff, Cloth Transfer, Smear) Possible medical records (9) Unknown Dent (2) Hospital/medical records other than Large deformation DIRECT/INDIRECT INJURY emergency room (e.g., discharge Cracked, fractured, shattered Direct contact injury summary) (6) Separated from vehicle (2) Indirect contact injury (3) Emergency room records only (including Noncontact injury Noncontact injury associated X-rays or other lab reports) Other specify: (8) injured, unknown source Unknown (4) Private physician, walk-in or emergency STRIKING PROFILE DAMAGE DEPTH Injury not from vehicle contact Flat-Narrow (<15 centimeters) (0) Injury not from vehicle contact UNOFFICIAL No residual damage Flat-Wide (≥ 15 centimeters) (5) Lay coroner report Surface only damage Rounded (contoured) (6) E.M.S. personnel Crush depth >0 to 2 centimeters (4) (5) Rounded edge (7) Interviewee Crush depth >2 to 5 centimeters Sharp edge (8) Other source (specify): Crush depth >5 to 10 centimeters (8) Other (specify): (5) Other specify: (9) Police (9) Unknown (9) Unknown PEDESTRIAN INJURY CLASSIFICATION Abbreviated Injury Scale Spine (02) Cervical (04) Thoracic Specific Anatomic Structure **Body Region** Whole Area (02) Skin - Abrasion (04) Skin - Contusion Minor injury Head Moderate injury (2) (06) Lumbar (2) Face (3) Serious injury (3) Neck Vessels, Nerves, Organs, Bones, Joints are assigned consecutive two digit numbers beginning with 02 (4) (5) Severe injury Critical injury (06) Skin - Laceration Thorax (08) Skin - Avulsion (5) Abdomen Maximum (untreatable) (10) Amputation Spine (6) (20) Burn Injured, unknown severity **Upper Extremity** (30) Level of Injury Crush Lower Extremity (8) Aspect (40) Degloving (50) Injury - NFS Unspecified (9) assigned Specific injuries consecutive two-digit beginning with 02. Type of Anatomic Structure Trauma, other than mechanical numbers (1)Right (2) Left Head - LOC (02) Length of LOC (04, 06, 08) Level of Consciousness Bilateral Whole Area To the extent possible, within the Central Vessels (2) organizational framework of the AIS, 00 is assigned to an injury NFS as to (5) Nerves Anterior (3) (6) Posterior Organs (includes muscles/ (10) Concussion seventy or where only one injury is given in the dictionary for that anatomic structure. 99 is assigned to any injury (7)Superior ligaments) Skeletal (includes joints) (8) Inferior (5) Unknown Head - LOC NFS as to lesion or severity. Whole region Skin INJURY SOURCE Wheels / tires FRONT 790 Left front wheel / tire 744 B pillar 700 Front bumper 791 Right front wheel / tire 701 Front lower valance/spoiler 745 C pillar 792 Left rear wheel / tire 702 Front grille 746 D pillar 793 Right rear wheel /tire 703 Hood edge and/or trim 748 Other pillar (specify):_ 798 Other wheel / tire (specify): _ 749 Right side roof rail 704 Hood ornament (fixed) 750 Right side door surface 799 Unknown wheel / tire 705 Hood ornament (spring loaded) 751 Right side door handle 706 Headlight 707 Retractable headlight door (Open/Closed) 752 Right side mirror fixed housing Undercarriage components 800 Front crossmember 753 Right side folding mirror 708 Turn signal/parking lights 801 Steering assembly/Front suspension 754 Right side glazing forward of B pillar 718 Other front or add on object 755 Right side glazing rearward of B pillar 802 Oil pan 756 Rear antenna 803 Exhaust system pipe 757-Rear fender or quarter panel 804 Transmission 805 Drive shaft Left Side Components 758 Other right side object 806 Catalytic converter 720 Front fender side surface (specify): 807 Muffler 721 Front antenna 759 Unknown right side component 808 Floor pan 722 A1 pillar 809 Fuel tank 723 A2 pillar **Back Components** 760 Rear (back) bumper 810 Rear suspension 724 B pillar 818 Other undercarriage component 761 Tailgate 725 C pillar (specify): 762 Hatchback, vertical surface 726 D pillar 819 Unknown undercarriage component 768 Other back component 728 Other pillar (specify): (specify): 769 Unknown back component Accessories 729 Left side roof rail 820 Air scoop, deflector 730 Left side door surface 821 Cellular or CB radio antenna 731 Left side door handle Top Components 822 Emergency lights or bar 732 Left side mirror fixed housing 770 Hood surface 823 Fog lights 771 Hood surface reinforced by under hood 733 Left side folding mirror 824 Luggage, ski, or bike rack 734 Lett side glazing forward of B pillar component 825 Cargo (specify): 735 Left side glazing rearward of B piliar 772 Front fender top surface 826 Spare tire 773 Cowl area 736 Left side back fender or quarter panel 827 Spotlight 774 Wiper blade & mountings 737 Rear antenna 828 Other accessory (specify):_ 775 Windshield glazing 738 Other left side object 776 Front header (specify): 739 Unknown left side component 777 Roof surface Other Object or Vehicle in Environment 778 Backlight glazing 947 Ground 948 Other object (specify): 779 Rear header Right Side Components 949 Unknown object in environment 780 Hatchback 740 Fron; fender side surface 959 Unknown object on contacting vehicle 781 Rear trunk lid 741 Front antenna 788 Other top component (specify): ___ 997 Noncontact injury source 742 A1 pillar

789 Unknown top component

743 A2 piltar

999 Unknown injury source

OFFICIAL INJURY DATA — SKELETAL INJURIES

Restrained?

No Yes Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)

Blood Alcohol Level (mg/dl)

BAL = ____

Glasgow Coma Scale Score

Units of Blood Given

Units =


Arterial Blood Gases


Ph = ___.

PO, -

PCO,


HCO,






OFFICIAL INJURY DATA -INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)





U.S. Department of Transportation National Highway Traffic Safety Administration

PEDESTRIAN GENERAL VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

Griffing States	OFFICIAL RECORDS
1. Primary Sampling Unit Number 72	
2. Case Number - Stratum 6 15 P	9. Police Reported Travel Speed 9 9 9
3. Vehicle Number	Code to the nearest kmph (NOTE: 000 means less than 0.5 kmph) (160) 159.5 kmph and above (999) Unknown
4. Vehicle Model Year Code the last two digits of the model year (99) Unknown	mph X 1.6093 =kmph 10. Speed Limit (000) No statutory limit Code posted or statutory speed limit in kmph
5. Vehicle Make (specify): Chevroled Applicable codes are found in your NASS PCDS Data Collection, Coding and Editing Manual. (99) Unknown	(999) Unknown 25 mph X 1.6093 = 49.2 kmph 11. Police Reported Alcohol Presence For Driver (0) No alcohol present (1) Yes alcohol present
6. Vehicle Model (specify): Applicable codes are found in your NASS PCDS Data Collection, Coding and Editing Manual. (999) Unknown	(7) Not reported (8) No driver present (9) Unknown 12. Alcohol Test Result For Driver Code actual value (decimal implied before first digit – 0.xx)
7. Body Type Note: Applicable codes may be found on the back of this page.	(95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (98) No driver present (99) Unknown
8. Vehicle Identification Number	Source: PAR
G B L 5 3 7 3 P W 10 11 12 13 14 15 16 17	13. Police Reported Other Drug Presence For Driver (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (8) No driver present (9) Unknown
	14. Other Drug Specimen Test Result For Driver (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen (specify): (3) Specimen test given, results unknown or not obtained (8) No driver present (9) Unknown

CODES FOR BODY TYPE

CDS APPLICABLE VEHICLES

Automobiles

- (01) Convertible (excludes sun-roof, t-bar)
- (02) 2-door sedan, hardtop, coupe
- (03) 3-door/2-door hatchback
- (04) 4-door sedan, hardtop
- (05) 5-door/4-door hatchback
- (06) Station wagon (excluding van and truck based)
- (07) Hatchback, number of doors unknown
- (08) Other automobile type (specify):
- (09) Unknown automobile type

Automobile Derivatives

- (10) Auto based pickup (includes El Camino, Caballero, Ranchero, Brat, and Rabbit pickup)
- (11) Auto based panel (cargo station wagon, auto based ambulance/hearse)
- (12) Large limousine more than four side doors or stretched chassis
- (13) Three-wheel automobile or automobile derivative

Utility Vehicles (≤ 4,500 kgs GVWR)

- (14) Compact utility (Jeep CJ-2 CJ-7, Scrambler, Golden Eagle, Renegade, Laredo, Wrangler, Cherokee [84 and after], Dispatcher, Raider, Bronco II, Bronco [76 and before], Explorer, S-10 Blazer, Geo Tracker, Bravada, S-15 Jimmy, Thing, Pathfinder, Trooper, Trooper II, Rodeo, Amigo, Navajo, 4-Runner, Montero, Samurai, Sidekick, Rocky)
- (15) Large utility (includes Jeep Cherokee [83 and before], Ramcharger, Trailduster, Bronco-fullsize [78 and after], fullsize Blazer, fullsize Jimmy, Landcruiser, Rover, Scout)
- (16) Utility station wagon (Chevy Suburban, GMC Suburban, Travelall, Grand Wagoneer, includes suburban limousine)
- (19) Utility, unknown body type

Van Based Light Trucks (≤ 4,500 kgs GVWR)

- (20) Minivan (Chrysler Town and Country, Caravan, Grand Caravan, Voyager, Grand Voyager, Mini-Ram, Dodge/Plymouth Vista, Aerostar, Villager, Lumina APV, Trans Sport, Silhouette, Astro, Safari, Toyota Van, Toyota Minivan, Previa, Nissan Minivan, Quest, Mitsubishi Minivan, Vanagon/Camper.)
- (21) Large van (B150-B350, Sportsman, Royal, Maxiwagon, Ram, Tradesman, Voyager [83 and before], E150-E350, Econoline, Clubwagon, Chateau, G10-G30, Chevy Van, Beauville, Sport Van, G15-G35, Rally Van, Vandura.)
- (22) Step van or walk-in van (≤ 4,500 kgs GVWR)
- (23) Van based motorhome (≤ 4,500 kgs GVWR)
- (24) Van based school bus (≤ 4,500 kgs GVWR)
- (25) Van based other bus (≤ 4,500 kgs GVWR)
- (28) Other van type (Hi-Cube Van, Kary) (specify):
- (29) Unknown van type

Light Conventional Trucks (Pickup style cab, ≤ 4,500 kgs GVWR)

- (30) Compact pickup (D50, Colt P/U, Ram 50, Dakota, Arrow Pickup [foreign], Ranger, Courier, S-10, T-10, LUV, S-15, T-15, Sonoma, Datsun/Nissan Pickup, P'up, Mazda Pickup, Toyota Pickup, Mitsubishi Pickup)
- (31) Large Pickup (Jeep Pickup, Comanche, Ram Pickup, D100-D350, W100-W350, F100-F350, C10-C35, K10-K35, R10-R35, V10-V35, Silverado, Sierra, R100-R500,)

- (32) Pickup with slide-in camper
- (33) Convertible pickup
- (39) Unknown pickup style light conventional truck type

Other Light Trucks (≤ 4,500 kgs GVWR)

- (40) Cab chassis based (includes rescue vehicles, light stake, dump, and tow truck)
- (41) Truck based panel
- (42) Light truck based motorhome (chassis mounted)
- (45) Other light conventional truck type
- (48) Unknown light truck type
- (49) Unknown light vehicle type (automobile, utility, van, or light truck)

OTHER VEHICLES

Buses (Excludes Van Based)

- (50) School bus (designed to carry students, not cross country or transit)
- (58) Other bus type (e.g., transit, intercity, bus based motorhome) (specify):
- (59) Unknown bus type

Medium/Heavy Trucks (> 4,500 kgs GVWR)

- (60) Step van (> 4,500 kgs GVWR)
- (61) Single unit straight truck (4,500 kgs < GVWR ≤ 8,850 kgs)</p>
- (62) Single unit straight truck (8,850 kgs < GVWR ≤ 12,000 kgs)
- (63) Single unit straight truck (> 12,000 kgs GVWR)
- (64) Single unit straight truck, GVWR unknown
- (65) Medium/heavy truck based motorhome
- (67) Truck-tractor with no cargo trailer
- (68) Truck-tractor pulling one trailer
- (69) Truck-tractor pulling two or more trailers
- (70) Truck-tractor (unknown if pulling trailer)
- (78) Unknown medium/heavy truck type
- (79) Unknown truck type (light/medium/heavy)

Motored Cycles (Does Not Include All-Terrain Vehicles/Cycles)

- (80) Motorcycle
- (81) Moped (motorized bicycle)
- (82) Three-wheel motorcycle or moped
- (88) Other motored cycle (minibike, motorscooter) (specify):
- (89) Unknown motored cycle type

Other Vehicles

- (90) ATV (All-Terrain Vehicle) and ATC (All-Terrain Cycle)
- (91) Snowmobile
- (92) Farm equipment other than trucks
- (93) Construction equipment other than trucks
- (97) Other vehicle type
- (99) Unknown body type

VEHICLE WEIGHT ITEMS	RECONSTRUCTION DATA
15. Vehicle Curb Weight Code weight to nearest 10 kilograms. (045) Less than 450 kilograms (610) 6,100 kilograms or more (999) Unknown 3, 4 4 5 lbs X .4536 = 1, 8 12 kgs	18. Impact Speed Nearest kmph (NOTE: 000 means greater than .5 kmph) (160) 159.5 kmph and above (999) Unknown
Source: 93 16. Vehicle Cargo Weight Φ, Φ 7 0 Code weight to nearest 10 kilograms. (000) Less than 5 kilograms (450) 4,500 kilograms or more (999) Unknown 15 Φ lbs X .4536 =, 6 B kgs	19. Accuracy Range of Impact Speed Estimate (0) No reconstruction (1) Less than 2 kmph (2) ≥ 2 kmph and ≤ 8 kmph (3) ≥ 9 kmph and ≤ 16 kmph (4) ≥ 17 kmph and ≤ 26 kmph (9) Unknown 20. Data Source of Impact Speed (0) No impact speed calculated (1) Zone center calculation (2) Police calculation (3) Driver/witness/police estimates PRECRASH DATA
OTHER DATA 17. Vehicle Special Use (This Trip) (0) No special use (1) Taxi (2) Vehicle used as school bus (3) Vehicle used as other bus (4) Military (5) Police (6) Ambulance (7) Fire truck or car (8) Other (specify): (9) Unknown STOP VARIABLES 18 THROUGH 20 ARE COMPLETED BY THE ZONE CENTER	21. Driver's Attention to Driving (Prior to Recognition of Critical Event) (1) Full attention to driving (2) Distracted by other occupant (3) Distracted by moving object in vehicle (4) Distracted by outside person, object, or event (5) Talking on cellular phone or CB radio Specify: (6) Sleeping or dozing while driving (8) Other (specify): (9) Unknown 22. Pre-Event Vehicle Movement (Prior to Recognition of Critical Event) (01) Going straight (02) Slowing or stopping in traffic lane (03) Starting in traffic lane (04) Stopped in traffic lane (05) Passing or overtaking another vehicle (06) Disabled or parked in travel lane (07) Leaving a parking position (08) Entering a parking position (09) Turning left (11) Making a U-turn (12) Backing up (other than for parking position) (13) Negotiating a curve (14) Changing lanes (15) Merging (16) Successful avoidance maneuver to a previous critical event (97) Other (specify): (98) No driver present (99) Unknown

23. Critical Precrash Event	(83) Pedalcyclist or other nonmotorist in roadway
This Vehicle Loss of Control Due To:	(specify):
(01) Blow out or flat tire	(84) Pedalcyclist or other nonmotorist approaching
(02) Stalled engine	roadway (specify):(85) Pedalcyclist or other nonmotorist—unknown
(03) Disabling vehicle failure (e.g., wheel fell off)	•
(specify):	location (specify):
(04) Non-disabling vehicle problem (e.g., hood flew	Object or Animal
up) (specify):	(87) Animal in roadway
(05) Poor road conditions (puddle, pot hole, ice, etc.)	(88) Animal approaching roadway
(specify):	(89) Animal—unknown location
(06) Traveling too fast for conditions	(90) Object in roadway
(08) Other cause of control loss (specify):	(91) Object approaching roadway
(00) II I	(92) Object—unknown location (98) Other critical precrash event (specify):
(09) Unknown cause of control loss	(90) Other critical preclash event (specify).
This Vehicle Traveling	(99) Unknown
(10) Over the lane line on left side of travel lane	(99) ONKNOWN
(11) Over the lane line on right side of travel lane	24 Attempted Avaidance Managerer
(12) Off the edge of the road on the left side	24. Attempted Avoidance Maneuver (00) No driver present
(13) Off the edge of the road on the right side	(00) No driver present (01) No avoidance actions
(14) End departure	
(15) Turning left at intersection	(02) Braking (no lockup)
(16) Turning right at intersection	(03) Braking (lockup)
(17) Crossing over (passing through) intersection	(04) Braking (lockup unknown) (05) Releasing brakes
(19) Unknown travel direction	I
Other Motor Vehicle In Lane	(06) Steering left
(50) Stopped	(07) Steering right (08) Braking and steering left
(51) Traveling in same direction with lower speed	(09) Braking and steering right
(i.e., lower steady speed or decelerating)	(10) Accelerating
(52) Traveling in same direction with higher speed	(10) Accelerating (11) Accelerating and steering left
(53) Traveling in opposite direction	(12) Accelerating and steering right
(54) In crossover	(98) Other action (specify):
(55) Backing (59) Unknown travel direction of other motor vehicle	(99) Unknown
in lane	(30) Olikilowii
Other Motor Vehicle Encroaching Into Lane	25. Precrash Stability After Avoidance Maneuver 2
(60) From adjacent lane (same direction)—over left	(0) No driver present
lane line	(1) No avoidance maneuver
(61) From adjacent lane (same direction)—over right	(2) Tracking
lane line	(3) Skidding longitudinally—rotation less than 30
(62) From opposite direction—over left lane line	degrees
(63) From opposite direction—over right lane line	(4) Skidding laterally—clockwise rotation
(64) From parking lane	(5) Skidding laterally—counterclockwise rotation
(65) From crossing street, turning into same direction	(8) Other vehicle loss-of-control (specify):
(66) From crossing street, across path	(9) Precrash stability unknown
(67) From crossing street, turning into opposite	(9) Precrash stability unknown
direction	26. Precrash Directional Consequences of 2
(68) From crossing street, intended path not known	Avoidance Maneuver (Corrective Action)
(70) From driveway, turning into same direction	(0) No driver present
(71) From driveway, across path	(1) No avoidance maneuver
(72) From driveway, turning into opposite direction	(2) Vehicle stayed in travel lane where avoidance
(73) From driveway, intended path not known	maneuver was initiated
(74) From entrance to limited access highway	(3) Vehicle stayed on roadway but left travel lane
(78) Encroachment by other vehicle—details	where avoidance maneuver was initiated
unknown	(4) Vehicle stayed on roadway, not known if left
Pedestrian or Pedalcyclist, or Other Nonmotorist	travel lane where avoidance maneuver was
(80) Pedestrian in roadway	initiated
(81) Pedestrian approaching roadway	(5) Vehicle departed roadway
(82) Pedestrian—unknown location	(6) Avoidance maneuver initiated off roadway
judy i anadamini ammiatri iaanilan	(9) Directional consequences unknown

	ENVIRO	NME	NTAL DATA
27.	Relation to Junction (0) Non-junction (1) Interchange area Non-Interchange (2) Intersection (3) Intersection-related (4) Drive, alley access related (5) Other non-interchange (specify):	•	33. Roadway Surface Condition (1) Dry (2) Wet (3) Snow and slush (4) Ice (5) Sand, dirt or oil (8) Other (specify): (9) Unknown
29.	(6) Unknown type of non-interchange (9) Unknown if interchange Trafficway Flow (1) Not physically divided (two way traffic) (2) Divided trafficway - median strip without positive barrier (3) Divided trafficway - median strip with positive barrier (4) One way trafficway (9) Unknown Number of Travel Lanes (1) One (2) Two (3) Three (4) Four (5) Five (6) Six (7) Seven or more (9) Unknown	1	34. Traffic Control Device (0) No traffic control(s) (1) Trafficway traffic control signal (not RR crossing) Regulatory or School Zone Sign (Not RR Crossing) (2) Stop sign (3) Yield sign (4) School zone sign (5) Other sign (specify): (6) Unknown sign (7) Warning sign (not RR crossing) (8) Miscellaneous/other controls including RR controls (specify): (9) Unknown 35. Traffic Control Device Functioning (0) No traffic control (1) Not Functioning (2) Functioning (9) Unknown
	 (1) Straight (2) Curve right (3) Curve left (9) Unknown Roadway Profile		36. Light Conditions (1) Daylight (2) Dark (3) Dark, but lighted (4) Dawn (5) Dusk (9) Unknown
32.	(1) Level (2) Uphill Grade (>2%) (3) Downhill Grade (>2%) (4) Hillcrest (5) Sag (9) Unknown Roadway Surface Type (1) Concrete (2) Bituminous (asphalt) (3) Brick or Block (4) Slag, gravel or stone (5) Dirt (8) Other (specify): (9) Unknown	2	37. Atmospheric Conditions (1) No adverse atmospheric related driving conditions (2) Rain (3) Sleet (4) Snow (5) Fog (6) Rain and fog (7) Sleet and fog (8) Other (e.g., smog, smoke, blowing sand or dust, etc.) (specify): (9) Unknown

72-615

27 70 Yom

43 Copilie

POI to fAB = /m = 3,3 ft 0.65 = f

 $V = \sqrt{(2)(3.3)} (0.65)(32.2)$ = 11.7 + PS = 8 mph = 13 KPH


13 KPh

U.S. Department of Transportation National Highway Traffic Safety

cm

Administration PEDES IRIAN EX	XTERIOR VEHICLE FORM NATIONAL ACCIDENT SAMPLING ST	
1. Primary Sampling Unit Number	Z 3. Vehicle Number 0	1_
2. Case Number - Stratum 6 1 5	<u>P</u>	
VEHICLE	IDENTIFICATION	
VIN 161 BL 5373 P	Model Year 9 3	<u>}</u>
Vehicle Make (specify): Chevrolet	Vehicle Model (specify):	
PEDESTRIAN FRON	T CONTACT WORK SHEET	
PEV06 Hood Material		
PEV08 Hood Length	cm	
PEV09 Hood Width-Forward Opening	cm	
PEV10 Hood Width-Midway	cm	
PEV11 Hood Width-Rear Opening	cm	
PEV14 Front Bumper Cover Material		
PEV15 Front Bumper Reinforcement Material		
VERTICAL	. MEASUREMENTS	
PEV16 Front Bumper-Bottom Height	cm	
PEV17 Front Bumper-Top Height	cm	
PEV18 Forward Hood Opening	cm	2
PEV19 Front Bumper Lead	cm	
WRAF	P DISTANCES	
PEV20 Ground to Forward Hood Opening	cm	
PEV21 Ground to Front/Top Transition Point	cm	
PEV22 Ground to Rear Hood Opening	cm	
PEV23 Ground to Base of Windshield	cm	
PEV24 Ground to Top of Windshield	cm	
PEV25 Ground to Head Contact	cm	

VEHICLE DAMAGE SKETCH



NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground: ____ cm

PEDESTRIAN SIDE CONTACT WORK SHEET PEV06 Hood Material 121 PEV08 Hood Length cm 151 PEV09 Hood Width-Forward Opening cm 158 PEV10 Hood Width-Midway cm 162 PEV11 Hood Width-Rear Opening cm **VERTICAL MEASUREMENTS** _27 PEV26 Ground Clearance cm _43 PEV27 Side Bumper-Bottom Height cm _51 PEV28 Side Bumper-Top Height cm <u>33</u> PEV29 Centerline of Wheel cm 68 PEV30 Top of Tire cm _12 PEV31 Top of Wheel Well Opening cm 97 PEV32 Bottom of A-Pillar at Windshield cm 136 PEV33 Top of A-Pillar at Windshield cm 102 PEV34 Top of Side View Mirror cm LATERAL MEASUREMENTS $-\theta$ PEV35 C_L to A-Pillar at Bottom of Windshield cm PEV36 C_L to A-Pillar at Top of Windshield cm 108 PEV37 C_L to Maximum Side View Mirror Protrusion cm **WRAP DISTANCES** 88 PEV38 Ground to Side/Top Transition cm 96 PEV39 Ground to Hood Edge cm 176 PEV40 Ground to Centerline of Hood (ORIGIN) cm PEV41 Ground to Head Contact cm

ORIGINAL SPECIFICATIONS

Wheelbase	1 1 5.9	inches	x 2.54	=	<u> 2 9 4</u> cm
Overall Length	1141	inches	x 2.54	=	<u>543</u> cm
Maximum Width	<u> </u>	inches	x 2.54	=	<u> 1 9 5</u> cm
Curb Weight	3, 9 9 5	pounds	x .4536	=	<u>l, 8 l Z</u> kg
Average Track	<u>62.</u>	inches	x 2.54	=	<u>157</u> cm
Front Overhang	_ 4 1.3	inches	x 2.54	=	<u> 1 </u>
Rear Overhang	_ 57.4	inches	x 2.54	=	1 4 6 cm
Undeformed End Width		inches	x 2.54	=	<u>1</u> <u>7</u> Φ cm
Engine Size: cyl./displ.	8 cy 1	СС	x .001	=	<u>5</u> . ø L
		CID	x .0164	=	L

INJURY SOURCE

FRONT
700 Front bumper
701 Front lower valance/spoiler
702 Front grille
703 Hood edge and/or trim
704 Hood ornament (fixed)
705 Hood ornament (spring loaded)
706 Headlight
707 Retractable headlight door (Open/Closed)
708 Turn signal/parking lights
718 Other front or add on object
(specify):
719 Unknown front object
Left Side Components
720 Front fender side surface
721 Front antenna
722 A1 pillar
723 A2 pillar
724 B pillar
725 C pillar
726 D pillar
728 Other pillar
(specify):
729 Left side roof rail
730 Left side door surface
731 Left side door handle
732 Left side mirror fixed housing
733 Left side folding mirror
734 Left side glazing forward of B pillar
735 Left side glazing rearward of B pillar
736 Left side back fender or quarter panel
737 Rear antenna
738 Other left side object
(specify):
739 Unknown left side component
Right Side Components
740 Front fender side surface
741 Front antenna

742 A1 pillar

743 A2 pillar

744	B pillar
745	C pillar
746	D pillar
748	Other pillar (specify):
749	Right side roof rail
750	Right side door surface
751	Right side door handle
752	Right side mirror fixed housing
753	Right side folding mirror
754	Right side glazing forward of B pillar
755	Right side glazing rearward of B pillar
756	Rear antenna
757	Rear fender or quarter panel
758	Other right side object
	(specify):
759	Unknown right side component
Back C	omponents
760	Rear (back) bumper
761	Tailgate
762	Hatchback, vertical surface
768	Other back component
	(specify):
769	Unknown back component
	mponents
770	Hood surface
771	Hood surface reinforced by under hood
	component
772	Front fender top surface
773	Cowl area
774	Wiper blade & mountings
775	Windshield glazing
	Front header
777	Roof surface
778	Backlight glazing
	Rear header
780	Hatchback
	Rear trunk lid
788	Other top component (specify):
789	Unknown top component

Wheels	/ tires
790	Left front wheel / tire
791	Right front wheel / tire
792	Left rear wheel / tire
793	Right rear wheel /tire
798	Other wheel / tire (specify):
	Unknown wheel / tire
Underc	arriage components
800	Front cross member
801	Steering assembly/Front suspension
802	Oil pan
803	Exhaust system pipe
804	Transmission
805	Drive shaft
806	Catalytic converter
807	Muffler
808	Floor pan
809	Fuel tank
810	Rear suspension
818	Other undercarriage component
	(specify):
819	Unknown undercarriage component
Access	
820	Air scoop, deflector
821	Cellular or CB radio antenna
822	Emergency lights or bar
823	Fog lights
824	Luggage, ski, or bike rack
	Cargo (specify):
826	Spare tire
	Spotlight
828	Other accessory (specify):
	Object or Vehicle in Environment
•	Ground
948	Other object (specify):


949 Unknown object in environment

997 Noncontact injury source

999 Unknown injury source

959 Unknown object on contacting vehicle

VEHICLE DAMAGE SKETCH



NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground: 116 cm

P	ĺ	ĺ	I	I		l	Ì	5			Ì	l			į)		l	I)		ĺ	ì	į	ĺ	i	}		ļ		١	١))	ı	ĺ	ļ	į	ĺ	Ì	ĺ	
	X	8	į		ì				۱	×		ì		Š	į		ì			į		:	Ĭ		į	į		١		į					Š								

		l	PEDESI	KIAMEUNIA	CT WORKSH	ces		
CONTACT ID Label	COMPONENT CONTACTED	LONGITUDINAL LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IN Centimeters	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (<i>Circle)</i>	SEQUENCE #
A	pass, frt Vy panel	+5	85-90	1	torso	scratch	1 2 3 9	
В	pass fra Uw panel	114	86-89	,	Į.	scratch scratch	D 239	
C	lly panel Pass fut Vy panel	19	87	/	torso	transfer	D 2 3 9	
D	antennae		86	1	7.	bent/pushed in	D2 3 8	
E	Pass frt Yy panel		81-86	1		scretch	D 2 3 9	
F	hood	19	46	1		transfer	() 2 3 9	
G	h•0 d	35	66	,		tvans fer	O 2 3 9	
							1 2 3 9	
	*.						1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	

1 2 3 9

POINTS OF PEDESTRIAN CONTACT CHRONOLOGICAL ORDER OF CONTACTS COMPONENT LONGITUDINAL LATERAL CRUSH CONFIDENCE LEVEL OF CONTACT CONTACTED LOCATION LOCATION SUSPECTED SUPPORTING PHYSICAL EVIDENCE CONTACT POINT CENTIMETERS BODY REGION (Circle) CODE (X) (Y) 740 3 9 1 2 3 9 2 1 2 3 9 3 1 2 3 9 4 1 2 3 9 5 1 2 3 9 1 2 3 9 7 1 2 3 8 1 2 3 9 1 2 3 9 10 1 2 3 9 11 1 2 3 9 12 1 2 3 9 13 1 2 3 9 14 1 2 3 9 15 1 2 3 8 16 17 1 2 3 9 1 2 3 9 18 1 2 3 9 19 1 2 3 9 20 1 2 3 9 21 1 2 3 9 22 1 2 3 9 23 1 2 3 9 24

25

VEHICLE DIMENSIONS	44 11 11/21/15 0
	11. Hood Width Rear Opening
4. Original Wheelbase 2 9 4	Code to the
Code to the	nearest centimeter (210) 210 centimeters or more
nearest centimeter	(999) Unknown
(999) Unknown	(000) Olikilowii
1.5 . 9 inches $\times 2.54 = 294$ centimeters	
5. Original Average Track Width	12. Hood/Fender Vertical/Lateral Crush From
Code to the	Pedestrian
nearest centimeter	(O) Not damaged
(185) 185 centimeters or more	(1) Surface scratching only, no residual crush
(999) Unknown	(2) Minor crush (1-3 centimeters)
	(3) Moderate crush (4-7 centimeters) (4) Severe crush (>7 centimeters)
	(8) Damage present, unknown if damage is from
	pedestrian impact
C 11114	(9) Unknown
6. Hood Material 3	
(1) Plastic (2) Fiberglass	13. Windshield Contact Damage
(3) Steel	From Pedestrian Contact
(4) Aluminum	(0) Not contacted by pedestrian
(5) Stainless Steel	(1) Contacted by pedestrian - not damaged
(8) Other (specify):	(2) Contacted by pedestrian - damaged
(9) Unknown	(3) Unknown if contacted by pedestrian - not
	damaged
7. Hood Original	(4) Unknown if contacted by pedestrian - damaged
Equipment Manufacturer (OEM)	(9) Unknown if contacted by pedestrian -
(1) OEM factory installed hood	unknown if damaged
(2) OEM replacement (3) Non-OEM replacement	Ĭ
(9) Unknown	FRONT CONTACT DAMAGE
(c, c, milevii	
8. Hood Length	Front Vertical Measurements
Code to the	14 Front Burner Cover Metalis
nearest centimeter	14. Front Bumper Cover Material (0) No front contact
(180) 180 centimeters or more	(1) Plastic
(999) Unknown	(2) Fiberglass
(instru VOF4	(3) Rubber
	(4) Other (specify):
9. Hood Width Forward Opening 151	(9) Unknown
Code to the	<u>, </u>
nearest centimeter	15. Front Bumper Reinforcement Material
(210) 210 centimeters or more	(0) No front contact
(999) Unknown	(1) Steel (2) Aluminum
	(3) Stainless Steel
<u>5_9</u> . <u>4</u> inches X 2.54 = <u>1 5 1</u> centimeters	(4) Other (specify):
10 Hood Width Midway	(9) Unknown
10. Hood Width Midway Code to the	
nearest centimeter	16. Front Bumper-Bottom Height
(210) 210 centimeters or more	Code to the
(999) Unknown	nearest centimeter
	(000) No front contact
ا مسيد	/150\ 150 continuetore or
	(150) 150 centimeters or more
	(150) 150 centimeters or more (999) Unknown

Front Bumper-Top Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more (999) Unknown	23. Ground to Base of Windshield Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (999) Unknown
inches X 2.54 = centimeters	inches X 2.54 = centimeters
Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more	24. Ground to Top of Windshield Code to the nearest centimeter (000) No front contact (500) 500 centimeters or more (999) Unknown
inches X 2.54 = centimeters	inches X 2.54 = centimeters
(00) No front contact Code to the nearest centimeter (30) 30 centimeters or more	25. Ground To Head Contact Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (998) No head contact (999) Unknown
inches X 2.54 = centimeters	inches X 2.54 = centimeters
F 147 Files 14	SIDE CONTACT DAMAGE
Front Wrap Distance Weasurements	Side Vertical Measurements
Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more	26. Ground Clearance Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown
Code to the nearest centimeter (000) No front contact (180) 180 centimeters or more	27. Side Bumper-Bottom Height Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown 1 6 9 inches X 2.54 = 43 centimeters
Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more	28. Side Bumper-Top Height Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown P inches X 2.54 = Centimeters
	Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more (999) Unknown

29. Centerline of Wheel	Side Lateral Measurements
29. Centerline of Wheel	
nearest centimeter	35. Centerline to A-Pillar
(000) No side contact	35. Centerline to A-Pillar at Bottom of Windshield
(150) 150 centimeters or more (999) Unknown	(000) No side contact
	Code to the
$\phantom{aaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaa$	nearest centimeter (250) 250 centimeters or more
	(999) Unknown
30. Top of Tire <u>v</u> <u>6</u> <u>8</u>	
Code to the	$\underline{}$ $\underline{}$ $\underline{}$ $\underline{}$ inches X 2.54 = $\underline{}$ $\underline{}$ centimeters
nearest centimeter	
(000) No side contact	36. Centerline to A-Pillar
(200) 200 centimeters or more (999) Unknown	at Top of Windshield
(GGG) GIIKHGWII	Code to the
	nearest centimeter (000) No side contact
	(250) 250 centimeters or more
31. Top of Wheel Well Opening	(999) Unknown
Code to the	
nearest centimeter	
(000) No side contact	·
(250) 250 centimeters or more (999) Unknown	37. Centerline to Maximum Side
(555) STIKIOWII	View Mirror Protrusion
	Code to the nearest centimeter
· · · · · · · · · · · · · · · · · · ·	(000) No side contact
32. Bottom of A-Pillar at Windshield Code to the	(300) 300 centimeters or more
nearest centimeter	(999) Unknown
(000) No side contact	11 1 Singhos V 2 54 - 1 00 continues
(250) 250 centimeters or more (999) Unknown	$\phantom{aaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaa$
(OSS) CHRIGWII	Side Wrap Distance Measurements
	VIOL 11/4P DISTORTE HIGHSTICHICHTS
	20 Consults City Tax Tax III M D D
33. Top of A-Pillar at Windshield 136	38. Ground to Side/Top Transition
Code to the	nearest centimeter
nearest centimeter (000) No side contact	(000) No side contact
(300) 300 centimeters or more	(400) 400 centimeters or more
(999) Unknown	(999) Unknown
$\underline{}$ $\underline{}$ $\underline{}$ 1 $\underline{}$ inches X 2.54 = $\underline{}$ $\underline{}$ $\underline{}$ centimeters	
	39. Ground to Hood Edge
34. Top of Side View Mirror	Code to the
Code to the nearest centimeter	nearest centimeter
(000) No side contact	(000) No side contact (500) 500 centimeters or more
(300) 300 centimeters or more	(999) Unknown
(999) Unknown	222

40	Ground to Centerline of Hood 17 L	·
40.	Code to the	
	nearest centimeter	
	(000) No side contact	
	(700) 700 centimeters or more (999) Unknown	
41.	Ground to Head Contact 998	·
	Code to the nearest centimeter	
	(000) No side contact	
	(800) 800 centimeters or more	
	(998) No head contact	
	(999) Unknown	
	inches X 2.54 = centimeters	
	Centimeters	
		·
		·
	·	·
	· ·	I .